

Installation 5.x

Installing Elixir Repertoire Server 5.x

1. Ensure Java is pre-installed.
 - The software requires a Java VM version 1.4.2 or later. Java 5 (a.k.a version 1.5) is recommended as some features are only available when running in Java 5.
 - Tip: To test if your system is Java enabled, open a Command Prompt or equivalent Console and enter **java -version**. This will show the version of Java installed in your system, if any.
 - StartServer / StopServer script reference to JAVA_HOME that is defined on the machine.
If it is not defined, modify the script to the JVM location.
 - Default of maximum 512 MB as defined in StartServer script.
Ensure that it does not exceed the available memory on the machines.
2. Unzip or unpack the archive (e.g. ERS-5.1.1.zip) to a suitable location on your machine.
 - To unzip **ElixirReportServer.zip**, you can use either use a GUI utility like winzip or type the following command at the command prompt to unzip **ElixirReportServer.zip** to a location of your choice which will be referred to as.

```
unzip ElixirReportServer.zip
```

or

```
jar -xvf ElixirReportServer.jar
```

(You will need Java to be installed to extract a jar file)

where **unzip ElixirReportServer.zip** is replaced by the name of your Elixir Report package file name.

This command will create a **ElixirReportServer** sub-directory (in the current directory) which contains everything that you needed to run Elixir Report Server.

3. Deploying License Keys

- The license key is provided as a Java Archive (JAR). The key can be deployed using the command line with:

In Console mode:-

```
java -jar product-license-deployer.jar -c
```

In Graphical Interface mode:-

```
java -jar product-license-deployer.jar
```

- You may also manually deploy the key by unjaring (unzip) the key file. If deploying manually, copy the license key to the your user License can be deployed / defined in either
 - \$ERS_HOME/<ext> =Supported from version 6.0 onwards=
 - \$USER_HOME
 - classpath

4. Third Party Library

- To be placed in *\$ERS_HOME/<ext>*.
- Includes JDBC driver, customized Java classes.

5. Running the Report Server

- The default Server Listener Port is 7001.
- The default JMX HTML port is 8089.
- To run the server for Unix-like operating systems, use **startServer.sh**. You should then see log messages from Elixir Report Server components as they are deployed in the server log file (look in the log directory for server.log).

The last few messages should say similar as below:-

```
2006-04-11 09:27:57,410,INFO , ER.Server - Server started on 7001
```

```
2006-04-11 09:27:59,072,INFO , net.NetServer - Server accepting connections on port 7001
```

- Alternatively, you can use the Java Client application shipped with the report server to the test the connection to the report server. The Java Client application can be found in *\$ERS_HOME\clients\demo\JavaClientApp*

6. Troubleshooting the report server (Optional)

- If the report server is not running, you might have to add in **-Djava.awt.headless=true** in **startServer.sh**, then restart the report server.

For example:

```
$JAVACMD -mx512M -Djava.awt.headless=true -Delixir.home=..  
-Delixir.config=../config -jar  
-Djava.security.auth.login.config=../config/auth.conf  
-Djava.security.policy=../config/java2.policy  
RepertoireServer-Launcher.jar
```

- Check through the server.log for possible cause.

7. You should only configure the report server after you have verified that the report server is properly installed and running.